L Number	Hits	Search Text	DB	Time stamp
1	166	((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj	USPAT; US-PGPUB;	2004/03/11 14:01
		"O.sub.3")) "in.sub.2O.sub.3") near12 (anisotropic adj conduct\$3)	EPO; JPO; DERWENT; IBM_TDB	
2	125	((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj	USPAT; US-PGPUB;	2004/03/11 13:59
		"O.sub.3")) "in.sub.2O.sub.3") near12 (anisotropic adj conduct\$3)) and @ad<20010629) ((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (anisotropic adj conduct\$3)) and @rlad<20010629)	EPO; JPO; DERWENT; IBM_TDB	
3	378	((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 13:59
4	211	(((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD) and @ad<20010629	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/11 14:02
5	86	(((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/11 14:00
6	251	(((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD) and @ad<20010629) ((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:00
7	226	(((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD) and @ad<20010629) ((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629)) not (((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (anisotropic adj conduct\$3)) and @ad<20010629) ((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (anisotropic adj conduct\$3)) and @rlad<20010629))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:04
8	12780	((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4 moisture dust debris particulate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:12
9	1225	(((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4 moisture dust debris particulate)) and LCD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 14:13

10	851	((((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:13
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	US-PGPUB; EPO; JPO;	
		moisture dust debris particulate)) and LCD) and	DERWENT;	
		@ad<20010629	IBM_TDB	!
11	292	((((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:02
• •		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj	US-PGPUB;	
		"O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	EPO; JPO;	
		moisture dust debris particulate)) and LCD) and	DERWENT;	
		@rlad<20010629	IBM_TDB	
12	950	(((((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:02
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj	US-PGPUB;	
		"O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	EPO; JPO;	
		moisture dust debris particulate)) and LCD) and	DERWENT;	
		@ad<20010629) (((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or	IBM_TDB	
		("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12		
		(prevent\$4 protect\$4 moisture dust debris particulate)) and		
		LCD) and @rlad<20010629)		
13	200	(((((((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:05
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj	US-PGPUB;	
		"O.sub.3")) "in.sub.2O.sub.3") and (anisotropic adj	EPO; JPO;	
		conduct\$3) and LCD) and @ad<20010629) ((((transparent	DERWENT;	
		near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or	IBM_TDB	
		IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3"))		
		"in.sub.2O.sub.3") and (anisotropic adj conduct\$3) and LCD) and @rlad<20010629)) not (((((transparent near3 conduct\$3		
) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or	-	
		ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12		
		(anisotropic adj conduct\$3)) and @ad<20010629)		
		((((transparent near3 conduct\$3) (((indium zinc tin) near2		
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj		
		"O.sub.3")) "in.sub.2O.sub.3") near12 (anisotropic adj	•	
		conduct\$3)) and @rlad<20010629))) and (prevent\$4		
4.4	640	protect\$4 moisture dust debris particulate)	LICDAT.	0004/00/44 44:40
14	643	((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:12
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	US-PGPUB; EPO; JPO;	
		moisture dust debris particulate) near12 (cover\$4)	DERWENT;	
		moisture dust desire particulately floar 12 (000 of 47)	IBM TDB	
15	133	(((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:13
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj	US-PGPUB;	
		"O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	EPO; JPO;	
		moisture dust debris particulate) near12 (cover\$4)) and LCD	DERWENT;	
40			IBM_TDB	0004/00/44 44 45
16	89	((((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:13
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	US-PGPUB; EPO; JPO;	
		moisture dust debris particulate) near12 (cover\$4)) and LCD)	DERWENT;	
		and @ad<20010629	IBM TDB	
17	21581	rl	USPAT;	2004/03/11 14:13
	-1007		US-PGPUB;	
	[i		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
18	45	((((transparent near3 conduct\$3) (((indium zinc tin) near2	USPAT;	2004/03/11 14:13
		oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj	US-PGPUB;	
]	"O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	EPO; JPO;	
]	moisture dust debris particulate) near12 (cover\$4)) and LCD) and @rlad<20010629	DERWENT; IBM TDB	
L	<u> </u>	and what 200 10029	םחו _ואומו	

	,			
19	109	(((((transparent near3 conduct\$3) (((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or ("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 14:25
		moisture dust debris particulate) near12 (cover\$4)) and LCD) and @ad<20010629) (((((transparent near3 conduct\$3) ((((indium zinc tin) near2 oxide) or ITO or IZO or InO or ZnO or	DERWENT; IBM_TDB	
		("in.sub.2" adj "O.sub.3")) "in.sub.2O.sub.3") near12 (prevent\$4 protect\$4 moisture dust debris particulate) near12		
20	3378	(cover\$4)) and LCD) and @rlad<20010629) NEC.asn. and LCD	USPAT; US-PGPUB;	2004/03/11 14:29
			EPO; JPO; DERWENT; IBM_TDB	
21	1334	(NEC.asn. and LCD) and (terminal end pad ((connection connecting) adj (region portion)))	USPAT; US-PGPUB;	2004/03/11 15:28
			EPO; JPO; DERWENT; IBM TDB	
22	31	((NEC.asn. and LCD) and (terminal end pad ((connection connecting) adj (region portion)))) and (anisotropic adj	USPAT; US-PGPUB;	2004/03/11 15:17
		conduct\$3)	EPO; JPO; DERWENT; IBM_TDB	
23	2	6,366,331.pn.	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 15:17
			DERWENT; IBM_TDB	
24	2019	(anisotropic adj conduct\$3) near12 (terminal end pad ((connection connecting) adj (region portion)))	USPAT; US-PGPUB; EPO; JPO;	2004/03/11 15:29
25	5	//anicatuania adi canduste2) nace42 /tarreinat and nad	DERWENT; IBM_TDB USPAT;	2004/03/11 16:18
25		((anisotropic adj conduct\$3) near12 (terminal end pad ((connection connecting) adj (region portion)))) near12 (cover\$4 near2 (complete\$3 entire\$3 fully))	US-PGPUB; EPO; JPO;	2004/03/11 10:10
26	1	4-32821	DERWENT; IBM_TDB USPAT;	2004/03/11 16:18
		·	US-PGPUB; EPO; JPO;	
27	0	4-032821	DERWENT; IBM_TDB USPAT;	2004/03/11 16:18
			US-PGPUB; EPO; JPO; DERWENT;	
28	7	"032821"	IBM_TDB USPAT;	2004/03/11 16:22
			US-PGPUB; EPO; JPO; DERWENT;	
29	0	1990jp-0140411.ap,prai.	IBM_TDB USPAT; US-PGPUB;	2004/03/11 16:22
			EPO; JPO; DERWENT; IBM_TDB	
30	0	1990jp-140411.ap,prai.	USPAT; US-PGPUB;	2004/03/11 16:23
			EPO; JPO; DERWENT; IBM_TDB	